

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINE(S) OR MARK(S) ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11942	(calibrat\$5 near6 (scanning or scanner or copier or copying or reader or reading))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 15:40
L2	505	1 and ((referenc\$5 or full or initial\$5) near6 calibrat\$5) and ((partial\$5 or fraction\$6 or limit\$5) near6 calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 15:41
L3	4091	358/504,406,505,506,474.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 15:42
L4	16	2 and 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 15:42
L5	15	4 and ((differ\$8 or compar\$8 or chang\$5) with calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 15:45
L6	10	5 and (predetermin\$5 or threshold\$5 or toleran\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:08
L7	25	2 and (scan\$5 near6 head\$5 near6 mov\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:11
L8	2	3 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:09
L9	0	2 and (scan\$5 near6 head\$5 near6 "not" near6 mov\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:11
L10	1	2 and (scan\$5 near6 head\$5 near6 calibrat\$5 near6 mov\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:12

L11	37	(scan\$5 near6 head\$5 near6 calibrat\$5 near6 mov\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:22
L12	9	3 and 11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:13
L13	21	(dark near3 current) and (scan\$5 near6 calibrat\$5) and (lamp near6 off)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:42
L14	12	3 and 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:26
L15	15	(dark near3 current) and (scan\$5 near6 calibrat\$5) and (lamp near6 off near6 calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:29
L20	842	(scan\$5 near6 calibrat\$5) and (lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:41
L22	106	(scan\$5 near6 calibrat\$5) and (lamp with off)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:32
L23	110	(scan\$5 near6 calibrat\$5) and (lamp with turn\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:32
L25	245	(calibrat\$5 with lamp) and (scan\$5 with calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:36
L27	127	(calibrat\$5 with lamp with light\$5) and (scan\$5 with calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:35

L30	129	(lamp with (off or on)) and (scan\$5 with calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:39
L39	103	(partial with calibrat\$5) and (scann\$5 with calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:40
L40	4	3 and 39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:41
L41	23	(dark near3 current near6 calibrat\$5) and (scan\$5 near6 calibrat\$5) and (lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:44
L42	10	3 and 41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:43
L43	17	(dark near3 current near6 calibrat\$5) and (scan\$5 near6 calibrat\$5) and (lamp with calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:48
L44	10	3 and 43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:44
L45	25	(dark near3 current near6 calibrat\$5) and (scan\$5 near6 calibrat\$5) and ((light or lamp) with calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:48
L46	11	3 and 45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:50
L47	624	(calibrat\$5 with without with (light\$5 or lamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:55

L48	96	47 and (scan\$6 with calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:55
L49	20	3 and 48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:51
L50	2786	(calibrat\$5 with ("with" or use or using) with (light\$5 or lamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:55
L51	377	50 and (scan\$6 with calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:56
L52	26	3 and 51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:56

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6630	(scan\$6 or reader) near6 (calibrat\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 12:42
L2	19	1 and (full near6 calibrat\$5) and (partial near6 calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 12:42
L3	14	2 and ((compar\$5 or contrast\$5) near6 (calibrat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 12:42
L4	2552	(scanner or reader) near6 (calibrat\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 12:53
L5	7	4 and (full near6 calibrat\$5) and (partial near6 calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 12:54
L6	4	5 and ((compar\$5 or contrast\$5) near6 (calibrat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 12:42
L7	10	4 and (((reference or full) near6 calibrat\$5) and (partial near6 calibrat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 12:43
L8	2956	(scanner or reader or copy\$5 or copier) near6 (calibrat\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 12:53
L9	7	8 and (full near6 calibrat\$5) and (partial near6 calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 12:56
L10	5	9 and (((compar\$5 or contrast\$5) near6 calibrat\$5) or ((determin\$7 near6 differ\$9) near6 calibrat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 12:58

L11	6	9 and (differ\$9 near6 calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:00
L12	3	9 and (differ\$9 near6 calibrat\$5 near6 full near6 partial)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:00
L13	3	8 and (differ\$9 near6 calibrat\$5 near6 full near6 partial)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:00
L14	3	8 and ((compar\$5 or difference or change) near6 calibrat\$5 near6 full\$5 near6 partial\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:01
L15	4	((compar\$5 or difference or change) near6 calibrat\$5 near6 full\$5 near6 partial\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:02
L16	5636	((compar\$5 or difference or change) near6 calibrat\$5) and (scanner or reader or copy\$5 or copier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:02
L17	673	((compar\$5 or difference or change) near6 calibrat\$5) and ((scanner or reader or copy\$5 or copier) near6 calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:03
L18	8	17 and (((full\$5 near6 calibrat\$5) and (partial\$5 near6 calibrat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:05
L19	65	((partial\$5 near6 calibrat\$5) or (partial-calibrat\$5)) and ((scanner or reader or cop\$6) near6 calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:06